

**PROCUREMENT OF INTERCHAGEABLE LENS
 FULL FRAME MIRRORLESS DIGITAL CAMERA WITH ACCESSORIES**

=====

TERMS AND SPECIFICATIONS

I. OBJECTIVE

To select the supplier with the lowest calculated and responsive quotation for the purchase of one (1) set of Full Frame Digital Camera with Accessories using the Small Value Procurement method pursuant to R. A. 9184.

II. ITEMS TO BE PROCURED WITH APPROVED BUDGET

Lot No.	Item/Description	Quantity	Approved Budget (inclusive of all applicable taxes)
1	ITEM 1: Interchangeable Lens Mirrorless Full Frame Digital Camera * 20.1 Megapixels * 35.9 x 23.9 Full Frame CMOS sensor * DIGIC X Image Processor with ISO Range of 100-102400; expandable to 204800 * AF System Points - Stills: Max. 6,072 selectable AF point positions / Up to 1,053 AF areas (auto selection); Movie recording: Max. 4,968 selectable AF point positions / Up to 819 AF areas (auto selection) * High speed Continuous Shooting of up to 12fps Mechanical shutter & 20fps Electronic shutter * Supports 2 memory cards: SD, SDHC, SDXC, UHS-I & UHS-II cards compatible * Flash mode: E-TTL II , Manual, Multi, Ext A, Ext M, CSP * Stills: One-Shot AF, Servo AF, AI Focus AF (with Scene Intelligent Auto), Manual * Movie recording: One-Shot AF, Movie Servo AF, Manual * Movie Format - MP4 * Image Format - * JPEG, HEIF, RAW, C-RAW, RAW + JPEG, C-RAW + JPEG, RAW + HEIF, C-RAW + HEIF * Power Supply - Battery Pack LP-E6NH/LP-E6N/LP-E6 * Peripheral Connections: SuperSpeed USB (Type-C), External microphone IN / Headphone terminal, HDMI micro (Type D), Remote control * Image Stabilizer: Stills: In-body 5-axis sensor-shift image stabilization; Movie: In-body 5-axis electronic image stabilization * Sensor Cleaning. EOS integrated cleaning system * Dimensions: (W x H x D) 138.4 x 97.5 x 88.4 mm * Weight (Body Only) Approx. 598 g (680 g with card and battery)	1 piece	Php327,000.00
	Item 2: Camera Lens * 15-35mm f/2.8L IS USM * Filter Size (mm) 82 * Image stabilization of up to 5-stops * Construction (Groups Elements) 12-16 * No. of Diaphragm Blades 9 * Additional Control Ring * Angle of View (Horizontal) 110°25'– 54°00' * Closest Focusing Distance (m, ft.) 0.28 / 0.92 * Min. Aperture 22 * Dust and drip Resistant * Drive System Nano USM * Max. Magnification (x) 0.21 * Drive System Nano USM * Diameter x Length (mm) (Approx.) 88.5 x 126.8 * Weight (g) (Approx.) 840	1 piece	

2	Lens Filter * Filter Type: UV Filter* Circular Size: 82mm. * Material: Aluminum	1 piece	Php1,500.00
3	Camera Flash * Exposure Control: E-TTL / E-TTL II * Mount: Shoe * Guide No.: 85.3' / 26 m at ISO 100 (50 mm Position) * Bounce Head: 0 to +90° * Swivel Head: 330° * Coverage: Full-Frame 24 to 50 mm * Recycle Time: Approx. 5.8 Seconds * Wireless Functions: Infrared Up to 36.09' / 11 m * Dimension 2.5 x 3.6 x 2.8" / 64.6 x 91.7 x 71 mm * Power/Battery 2 x AA	1 piece	Php13,000.00
4	Extra Battery Pack * LP-E6NH * 2130 mAh * 7.2 VDC * Rechargeable Lithium-Ion * Dimensions (WxHxD) 1.51x0.83x2.24" / 38.4x21x56.8 mm	1 piece	Php6,050.00
5	Extra Memory Card 128G, 300MBs * Capacity: 128 GB * Cinema Quality 4K Video Capture * Read Speed: up to 300 MB/s * Write Speed: up to 260 MB/s * Compatibility: SDHC, SDXC, SDHC UHS-I, SDXC UHS-I, SDHC UHS-II and SDXC UHS-II supporting host devices	1 piece	Php7,300.00
6	Battery Grip * Supports in-camera battery recharging/direct power (via USB Adapter PD-E1) * BG-R10 Compatible * Holds One or Two LP-E6NH Batteries * Improved Handling and Extended Battery Life	1 piece	Php17,000.00
7	Sturdy Tripod with Detachable Monopod * Unique Transverse Center Column * Detachable Monopod * 360 Degree Swivel Ball Head * Load Capacity: 8kg min. * Max Height Extended height: 75" * Folded height: 18" * Material Magnesium Aluminum Alloy	1 piece	Php6,800.00
8l	Camera Backpack * Material 600D nylon; 600D ripstop; 1680D ballistic base * Carrying Options Shoulder harness ; Waist belt; Top grab handle; Trolley handle straps * Holds DSLR with Attached Lens & 2 Lenses * Zippered Pocket for 11" Laptop & Tablet * Built-In Rain Cover & Key Lanyard	1 piece	Php5,000.00
9	Control Ring Mount Adapter * Enables EF / EF-S lenses to be mounted onto EOS R cam * Customizable Control Ring	1 piece	Php13,498.00
10	Back-up Memory Card 64G, 300MBs * Capacity: 64GB * Cinema Quality 4K Video Capture * Read Speed: up to 300 MB/s * Write Speed: up to 260 MB/s * Compatibility: SDHC, SDXC, SDHC UHS-I, SDXC UHS-I, SDHC UHS-II and SDXC UHS-II supporting host devices	1 piece	Php4, 700.00
11	4 x "AA" Rechargeable Battery with Charger * Smart & Quick Charger 4 AA 2000 mAh * Input: 100-240Vac 50-60Hz * Input part Structure: Plug in and attachment plug * Indicator: LED x 2 Charging: ON, Full charged: OFF * Charger battery: AA x 1, 2, 3, 4 / AAA x 1, 2, 3, 4 cells * Charging time: AA: Approx 2hours/4hours (2,000mAh), AAA: Approx 1.5hours/3hours (800mAh)	1 set	Php 2,450.00

12	LED Screen Protector * Expert Shield Crystal Clear Screen Protector * Material: Polyethylene Terephthalate Screen Size: 3 Inches * 0.01" ultra-thin	1 piece	Php1,645.00
13	Quick Draw Sports Shoulder DSLR Camera Strap * Extreme Sport Strap * Holds SLR Camera with Lens Attached * Worn Under Right Arm * Under Arm Safety Tether * CR-2 connector-2 a smooth swivel with a positive lock to ensure the safety of the camera and lens; 1/4"-20 Fastener * FR-3 fastener couples to connector-2 * Ballistic nylon with Cordura nylon * TPE foam * 1.0" (2.5cm) nylon webbing * Duraflex acetal nylon used in connectors	1 set	Php3,250.00

III. DOCUMENTARY REQUIREMENTS

Interested suppliers must submit all the documentary requirements under the Small Value Procurement method pursuant to R. A. 9184.

IV. OTHER REQUIREMENTS


- a. Quotations shall be evaluated on a per lot basis. Each lot shall be recommended for the award of contract separately.
- b. Interested suppliers may quote for one Lot or more, or all of the Lots. The items in Lot 2 to 13 must be compatible to Lot 1.
- c. The lowest calculated and responsive quotation shall be determined per Lot.
- d. Purchase Order/s shall be given to the supplier with the lowest calculated and responsive quotation.

V. DELIVERY

The items shall be delivered within **60 calendar days** after receipt of the Purchase Order. Failure by the winning supplier to deliver within this period shall be subject to the penalties provided for in R. A. 9184.

VI. TERMS OF PAYMENT

Cash on Delivery (C.O.D.).


MILAGROS M. BAET
 Vice President and Head
 Corporate Communications Department