

Annex A

PROCUREMENT OF INTERCHAGEABLE LENS FULL FRAME MIRRORLESS DIGITAL CAMERA WITH ACCESSORIES

TERMS AND SPECIFICATIONS

I. OBJECTIVE

a. To select the supplier with the lowest calculated and responsive quotation for the purchase of one (1) set of Full Frame Digital Camera with Accessories using the Small Value Procurement method pursuant to R. A. 9184.

II. ITEMS TO BE PROCURED WITH APPROVED BUDGET

| Lot No. | Item/Description | Quantity | Approved Budget (inclusive of all applicable taxes) |
|------------|---|----------|---|
| | Interchangeable Lens Mirrorless Full Frame Digital Camera with kitlens • 24MP - Full frame BSI-CMOS Sensor • ISO 100 - 51200(expands to 50 - 204800) • Image Stabilization: 5-axis Sensor-shift • 3.00" Tilting Screen • Electronic viewfinder: 2360k dot • Continuous shooting speed: 10.0fps • Built-in Wireless Video Recording: 4k at 30fps and FHD at 120fps • Weight: 650g. • Dimension: 127 x 96 x 74 mm • Weather Sealed Body • With Kit lens: FE 28mm -70mm f/ 3.5 – 5.6 OSS • * Waterproof: No Waterproof * Depth: n/a * Sensor Type: CMOS Sensor * Megapixels: 24.2 * Sensor Format: 35mm * Sensor size: 847.28mm2 (35.60mm x 23.80mm) * Approximate Pixel Pitch: 5.93 microns * Focal Length Multiplier: 1.0x * Aspect Ratio: 3:2 • Color Filter * Type: RGB * Anti-Aliasing * Filter: Fixed * Self Cleaning: Yes * Sensor shift image stabilization: Yes * On-Sensor Phase Detect: Yes * D x O Sensor Score: 96 * D x O Color Depth Score (bits): 25.0 * D x O Dynamic Range Score (evs): 14.7 * D x O Maximum Effective ISO Score (ISO):3,730 * Image Resolution:6000 x 4000 (24.0 MP, 3:2) | 1 set | Php130,000.00 |

| 2 | Camera Lens | 1 | Php43,000.00 |
|---|---|-------|---------------|
| | Specifications: SEL 35mm FE F1.8 Full frame lens * Mount: E-Mount | piece | |
| | Format: 35 mm Full Frame * Focal Length (mm): 35 Lens Groups / | | |
| | Elements: 9-11 * Angle of View (35 mm): 63 ° Maximum Aperture (f):1.8 * Minimum Aperture (f): 22 * Aperture Blades: 9 * Circular Aperture: Yes | | |
| | * Filter Diameter (mm): 55 * Image Stabilization: (Steadyshot) - Body- | | |
| | Integrated * Hood Type: Petal Shape, Bayonet Type * Dimensions (D X | | |
| | L): 65.6 X 73 mm (2-5/8 X 2-7/8 ln) | | |
| 3 | Extra Battery Pack | 1 | Php5,000.00 |
| | * Capacity: 16.4 Wh Amp-Hours: 2280 mAh Chemistry: Lithium – | piece | |
| | Ion * Output Voltage: 7.2VDC * Dimensions: 1.52x0.89x2.04" | | |
| | * Weight: 3oz / 85.05 g | | |
| 4 | Memory Card | 1 | Php15,000.00 |
| | * UHS-II / V90 / U3 / Class 10 * Records 8K, 4K, and Full HD | piece | |
| | Video * Capture Raw Photos and High-Speed Bursts * Built-In | | |
| | Write-Protect Switch * Read Speed: up to 300 MB/s * Write | | |
| | Speed: up to 260 MB/s V90 * Capacity: 128 GB | | |
| 5 | Battery Charger Kit | 1 | Php6,000.00 |
| | * Dimensions (W × H × D): Approx. 70 x 33 x 95 mm (2-7/8 x 1- | piece | |
| | 5/16 x 3-3/4") * Weight: Approx. 125 g (4.4 oz) * Power: AC, 100- | | |
| | 240 V, 50 Hz/60 Hz * Charging time: Approx. 150 minutes | | |
| | TOTAL | | Php199,000.00 |

III. DOCUMENTARY REQUIREMENTS

Interested suppliers must submit all the documentary requirements under the Small Value Procurement method pursuant to R. A. 9184.

IV. OTHER REQUIREMENTS

- a. Interested suppliers must quote for Lot 1 in set.
- b. The items in Lot 2 to 5 must be compatible to Lot 1.
- c. Interested suppliers may quote for one Lot or more, or all of the lots from 1 to 5.
- d. The lowest calculated and responsive quotation shall be determined per Lot.
- e. Purchase Order/s shall be given to the supplier with the lowest calculated and responsive quotation.

V. DELIVERY

The items shall be delivered within **30 calendar days** after receipt of the Purchase Order. Failure by the winning supplier to deliver within this period shall be subject to the penalties provided for in R. A. 9184.

VI. TERMS OF PAYMENT

Cash on Delivery (C.O.D.).

VII. APPROVED BUDGET

The approved budget for the procurement is ₽ 199,000.00 inclusive of all applicable taxes.

VP MILAGROS M. BAET

Head, Strategy Management and Communications pepartment